

Kaycha Labs

Drift -- (20 x 10 mg CBN/5 mg THC/5 mg CBD)

Classification: High THC Hybrid Type: Other Edible Product



Batch#: D3-20250715 Seed to Sale#: Dutchie

Servings: 20

Production Method: MCT Oil

Harvest/Lot ID: D3-20250715

Sample Size Received: 8 units

Total Amount: 1450 units Retail Product Size: 8.4 gram Retail Serving Size: 0.42 gram

Sampled: 07/30/25 01:20 PM Sampling Start: 01:20 PM Sampling End: 01:45 PM

Sampling Method: SOP.T.20.010.NY

Certificate of Analysis

FOR COMPLIANCE

Laboratory Sample ID: AL50801003-003



PASSED

Pages 1 of 6

Revival

License # : OCM-MICR-24-000048

1430 Clinton St Buffalo, NY, 14206, US

SAFETY RESULTS



Pesticides PASSED



Heavy Metals **PASSED**



PASSED



PASSED



Residuals Solvents **PASSED**



NOT TESTED



Water Activity PASSED



Moisture NOT TESTED



Terpenes TESTED

PASSED



Cannabinoid

Total THC .1660%

Total THC/Container: 97.9473 mg



Total CBD

Total CBD/Container: 107.0659 mg



Total Cannabinoids

Total Cannabinoids/Container: 413.7934

(6AR,9S) D10-THC CBDA CBN THCV <0.0007 < 0.0006 0.0011 0.0136 1.2550 0.0223 0.0162 0.0484 < 0.0007 < 0.0007 2.4041 1.1621 0.0033 <0,0504 0.0891 1.3618 201.9465 97.6181 < 0.0588 1.1443 105.4215 1.8751 4.0631 < 0.0588 < 0.0588 0.2738 0.0006 0.0007 0.0007 0.0007 0.0007 0.0007 0.0007 0.0007 0.0007 0.0007 0.0007 0.0007 0.0007 % % % % % % % % % % %

LOQ

Analysis Method: SOP.T.30.031.NY, SOP.T.40.031.NY Analyzed Date: 08/05/25 16:56:26

Label Claim **PASSED**

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164







Certificate of Analysis

PASSED

1430 Clinton St Buffalo, NY, 14206, US Telephone: (716) 471-6818 Email: cpaglione@revivalfarmlabmarket.com License #: OCM-MICR-24-000048 Sample : AL50801003-003 Harvest/Lot ID: D3-20250715

Batch#: D3-20250715 Sampled: 07/30/25 01:20 PM Total Amount: 1450 units

Sample Size Received: 8 units Sampling Method: SOP.T.20.010.NY

Page 2 of 6



Terpenes

TESTED

Terpenes	LOQ (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOQ (%)	Pass/Fail	mg/unit	Result (%)
ALPHA-BISABOLOL	0.04	TESTED	<3.3600	< 0.0400	Weight:				
ALPHA TERPINEOL	0.04	TESTED	<3.3600	< 0.0400	0.8166g				
BETA-CARYOPHYLLENE	0.04	TESTED	<3.3600	<0.0400	Analysis Method: SOP.T.30.064.NY, SOP.T.40.064.NY				
AMPHENE	0.1	TESTED	<8.4000	<0.1000	Analyzed Date: 08/04/25 11:41:19				
ARYOPHYLLENE OXIDE	0.04	TESTED	<3.3600	<0.0400					
ARNESENE	0.1	TESTED	< 8.4000	<0.1000					
ENCHYL ALCOHOL	0.04	TESTED	<3.3600	<0.0400	İ				
ERANIOL	0.04	TESTED	<3.3600	<0.0400	İ				
UAIOL	0.04	TESTED	<3.3600	<0.0400					
IMONENE	0.1	TESTED	<8.4000	<0.1000					
INALOOL	0.1	TESTED	<8.4000	<0.1000	İ				
ENTHOL	0.1	TESTED	<8.4000	<0.1000					
CIMENE	0.1	TESTED	< 8.4000	<0.1000					
ERPINOLENE	0.04	TESTED	<3.3600	<0.0400					
ALENCENE	0.1	TESTED	<8.4000	<0.1000					
LPHA-HUMULENE	0.04	TESTED	<3.3600	< 0.0400					
LPHA-PHELLANDRENE	0.1	TESTED	<8.4000	<0.1000					
LPHA-PINENE	0.1	TESTED	<8.4000	<0.1000					
LPHA-TERPINENE	0.1	TESTED	<8.4000	<0.1000					
ETA-MYRCENE	0.1	TESTED	<8.4000	<0.1000					
BETA-PINENE	0.1	TESTED	<8.4000	<0.1000					

Total (%)

<0.1000



Lab Director

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164





Certificate of Analysis

PASSED

1430 Clinton St Buffalo, NY, 14206, US Telephone: (716) 471-6818 Email: cpaglione@revivalfarmlabmarket.com License #: OCM-MICR-24-000048 Sample : AL50801003-003 Harvest/Lot ID: D3-20250715

Batch#: D3-20250715 Sampled: 07/30/25 01:20 PM Total Amount: 1450 units

Sample Size Received: 8 units Sampling Method: SOP.T.20.010.NY

Page 3 of 6



Pesticides

-				
 ///	-			
_	_	-	_	
 _			_	

Pesticide	LOQ	Units	Action Level	Pass/Fail	Result
PRALLETHRIN	0.1	ppm	0.2	PASS	< 0.1
ACEQUINOCYL	0.1	ppm	2	PASS	< 0.1
PYRETHRINS, TOTAL	0.1	ppm	1	PASS	< 0.1
AZADIRACHTIN	0.1	ppm	1	PASS	< 0.1
INDOLE-3-BUTYRIC ACID	0.1	ppm	1	PASS	< 0.1
MYCLOBUTANIL	0.1	ppm	0.2	PASS	< 0.1
PIPERONYL BUTOXIDE	0.1	ppm	2	PASS	< 0.1
ABAMECTIN B1A	0.1	ppm	0.5	PASS	< 0.1
ACEPHATE	0.1	ppm	0.4	PASS	< 0.1
ACETAMIPRID	0.1	ppm	0.2	PASS	< 0.1
ALDICARB	0.1	ppm	0.4	PASS	< 0.1
AZOXYSTROBIN	0.1	ppm	0.2	PASS	< 0.1
CHLORMEQUAT CHLORIDE	0.1	ppm	1	PASS	< 0.1
BIFENAZATE	0.1	ppm	0.2	PASS	< 0.1
BIFENTHRIN	0.1	ppm	0.2	PASS	< 0.1
CARBARYL	0.1	ppm	0.2	PASS	< 0.1
CHLORPYRIFOS	0.1	ppm	0.2	PASS	< 0.1
COUMAPHOS	0.1	ppm	1	PASS	< 0.1
DAMINOZIDE	0.1	ppm	1	PASS	< 0.1
CARBOFURAN	0.1	ppm	0.2	PASS	< 0.1
BOSCALID	0.1	ppm	0.4	PASS	< 0.1
CHLORANTRANILIPROLE	0.1	ppm	0.2	PASS	< 0.1
DIAZINON	0.1	ppm	0.2	PASS	< 0.1
CLOFENTEZINE	0.1	ppm	0.2	PASS	< 0.1
DICHLORVOS	0.1	ppm	1	PASS	< 0.1
DIMETHOATE	0.1	ppm	0.2	PASS	< 0.1
DIMETHOMORPH	0.1	ppm	1	PASS	< 0.1
ETHOPROPHOS	0.1	ppm	0.2	PASS	< 0.1
ETOFENPROX	0.1	ppm	0.4	PASS	< 0.1
ETOXAZOLE	0.1	ppm	0.2	PASS	< 0.1
FENHEXAMID	0.1	ppm	1	PASS	< 0.1
FENOXYCARB	0.1	ppm	0.2	PASS	< 0.1
FENPYROXIMATE	0.1	ppm	0.4	PASS	< 0.1
FIPRONIL	0.1	ppm	0.4	PASS	< 0.1
FLONICAMID	0.1	ppm	1	PASS	< 0.1
FLUDIOXONIL	0.1	ppm	0.4	PASS	< 0.1
HEXYTHIAZOX	0.1	ppm	1	PASS	< 0.1
IMAZALIL	0.1	ppm	0.2	PASS	< 0.1
IMIDACLOPRID	0.1	ppm	0.4	PASS	< 0.1
KRESOXIM METHYL	0.1	ppm	0.4	PASS	< 0.1
MALATHION	0.1	ppm	0.2	PASS	< 0.1
METALAXYL	0.1	ppm	0.2	PASS	< 0.1
METHIOCARB	0.1	ppm	0.2	PASS	< 0.1
METHOMYL	0.1	ppm	0.4	PASS	< 0.1
MEVINPHOS	0.1	ppm	1	PASS	< 0.1
NALED	0.1	ppm	0.5	PASS	< 0.1

Pesticide	LOQ	Units	Action Level	Pass/Fail	Result
OXAMYL	0.1	ppm	1	PASS	< 0.1
PACLOBUTRAZOL	0.1	ppm	0.4	PASS	< 0.1
PERMETHRIN	0.1	ppm	0.2	PASS	< 0.1
PHOSMET	0.1	ppm	0.2	PASS	< 0.1
PROPICONAZOLE	0.1	ppm	0.4	PASS	< 0.1
PROPOXUR	0.1	ppm	0.2	PASS	< 0.1
PYRIDABEN	0.1	ppm	0.2	PASS	< 0.1
SPINETORAM, TOTAL	0.1	ppm	1	PASS	< 0.1
SPINOSAD, TOTAL	0.1	ppm	0.2	PASS	< 0.1
SPIROMESIFEN	0.1	ppm	0.2	PASS	< 0.1
SPIROTETRAMAT	0.1	ppm	0.2	PASS	< 0.1
SPIROXAMINE	0.1	ppm	0.2	PASS	< 0.1
TEBUCONAZOLE	0.1	ppm	0.4	PASS	< 0.1
THIACLOPRID	0.1	ppm	0.2	PASS	< 0.1
THIAMETHOXAM	0.1	ppm	0.2	PASS	< 0.1
TRIFLOXYSTROBIN	0.1	ppm	0.2	PASS	< 0.1
CAPTAN *	0.1	ppm	1	PASS	< 0.1
CHLORDANE *	0.1	ppm	1	PASS	< 0.1
CHLORFENAPYR *	0.1	ppm	1	PASS	< 0.1
CYFLUTHRIN *	0.1	ppm	1	PASS	< 0.1
CYPERMETHRIN *	0.1	ppm	1	PASS	< 0.1
METHYL PARATHION *	0.1	ppm	0.2	PASS	< 0.1
MGK-264 *	0.1	ppm	0.2	PASS	< 0.1
PENTACHLORONITROBENZENE *	0.1	ppm	1	PASS	< 0.1

Weight: 0.5468g

Analysis Method : SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY Analyzed Date : 08/05/25 09:56:38

Analysis Method: SOP.T.40.154.NY Analyzed Date: 08/06/25 09:06:18

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164







Certificate of Analysis

PASSED

1430 Clinton St Buffalo, NY, 14206, US Telephone: (716) 471-6818 Email: cpaglione@revivalfarmlabmarket.com License #: OCM-MICR-24-000048 Sample : AL50801003-003 Harvest/Lot ID: D3-20250715

Batch#: D3-20250715 Sampled: 07/30/25 01:20 PM Total Amount: 1450 units

Sample Size Received: 8 units Sampling Method: SOP.T.20.010.NY

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOQ	Units	Action Level	Pass/Fail	Result	
PENTANES, TOTAL	125	ppm	5000	PASS	<125	
HEXANE, TOTAL	125	ppm	290	PASS	<125	
1,1,1-TRICHLOROETHANE	375	ppm	1500	PASS	<375	
DIMETHYL SULFOXIDE	375	ppm	5000	PASS	<375	
1,1,1,2-TETRAFLUOROETHANE	500	ppm	1000	PASS	<500	
XYLENES, TOTAL	125	ppm	2170	PASS	<125	
BUTANES, TOTAL	750	ppm	5000	PASS	<750	
PROPANE	750	ppm	5000	PASS	<750	
1,2-DICHLOROETHANE	1.25	ppm	5	PASS	<1.25	
METHANOL	125	ppm	3000	PASS	<125	
ETHANOL	125	ppm	5000	PASS	<125	
ETHYL ETHER	125	ppm	5000	PASS	<125	
ACETONE	125	ppm	5000	PASS	<125	
2-PROPANOL	125	ppm	5000	PASS	<125	
ACETONITRILE	125	ppm	410	PASS	<125	
DICHLOROMETHANE	125	ppm	600	PASS	<125	
ETHYL ACETATE	125	ppm	5000	PASS	<125	
BENZENE	1.25	ppm	2	PASS	<1.25	
N-HEPTANE	125	ppm	5000	PASS	<125	
TOLUENE	125	ppm	890	PASS	<125	
CHLOROFORM	1.25	ppm	60	PASS	<1.25	

0.0203q

Analysis Method: SOP.T.40.044.NY Analyzed Date: 08/06/25 14:25:56

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164





Certificate of Analysis

PASSED

1430 Clinton St Buffalo, NY, 14206, US Telephone: (716) 471-6818 Email: cpaglione@revivalfarmlabmarket.com License # : OCM-MICR-24-000048

Sample : AL50801003-003 Harvest/Lot ID: D3-20250715

Batch#: D3-20250715 Sampled: 07/30/25 01:20 PM Total Amount: 1450 units

Sample Size Received: 8 units Sampling Method: SOP.T.20.010.NY

Page 5 of 6

Units

ppm

ppm

ppm

LOO

0.01

0.01

0.01 ppm

0.01 maa

0.01

0.01 mag



Microbial

PASSED



AFLATOXIN G2

AFLATOXIN G1

AFLATOXIN B2

AFLATOXIN B1

OCHRATOXIN A+

Analyte

Mycotoxins

TOTAL AFLATOXINS (B1, B2, G1, G2)

Analyzed Date: 08/05/25 10:12:15

Analysis Method: SOP.T.30.104.NY, SOP.T.40.104.NY

PASSED

Action

Level

0.02

0.02

0.02

0.02

0.02

0.02

Result Pass /

<0.01 PASS

<0.01 PASS

<0.01 PASS

<0.01 PASS

<0.01 PASS

<0.01 PASS

Fail

Analyte	LOQ	Units	Result	Pass / Fail	Action Level
TOTAL AEROBIC BACTERIA	100	CFU/g	290	PASS	10000
TOTAL YEAST AND MOLD	100	CFU/g	<100	PASS	1000
ESCHERICHIA COLI SHIGELLA SPP	1		Not Present	PASS	
SALMONELLA SPECIES	1		Not Present	PASS	
ASPERGILLUS TERREUS	1		Not Present	PASS	
ASPERGILLUS NIGER	1		Not Present	PASS	
ASPERGILLUS FLAVUS	1		Not Present	PASS	
ASPERGILLUS FUMIGATUS	1		Not Present	PASS	

Weight:

 $\begin{array}{l} \textbf{Analysis Method:} SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.056C, SOP.T.40.209.NY \\ \textbf{Analyzed Date:} 08/05/25 \ 08:00:11 \end{array}$

Ė.		
	Hg	

Heavy Metals

PASSED

Metal	LOQ	Units	Result	Pass / Fail	Action Level
ANTIMONY	0.1	ug/g	< 0.1	PASS	120
ARSENIC	0.1	ug/g	< 0.1	PASS	1.5
CADMIUM	0.1	ug/g	< 0.1	PASS	0.5
CHROMIUM	1	ug/g	<1	PASS	1100
COPPER	1	ug/g	<1	PASS	300
LEAD	0.1	ug/g	< 0.1	PASS	0.5
MERCURY	0.01	ug/g	< 0.01	PASS	3
NICKEL	0.1	ug/g	1.3648	PASS	20

Weight: 0.5325g

Analysis Method: SOP.T.30.084.NY, SOP.T.40.084.NY

Analyzed Date: 08/04/25 13:43:13

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164







Certificate of Analysis

PASSED

Revival

1430 Clinton St Buffalo, NY, 14206, US **Telephone:** (716) 471-6818 **Email:** cpaglione@revivalfarmlabmarket.com **License #:** OCM-MICR-24-000048 Sample : AL50801003-003 Harvest/Lot ID: D3-20250715

Batch#: D3-20250715 Sample Size Received: 8 Sampled: 07/30/25 01:20 PM Total Amount: 1450 units

Sample Size Received: 8 units
Total Amount: 1450 units
Sampling Method: SOP.T.20.010.NY

Page 6 of 6



Water Activity

PASSED

Homogeneity

PASSED

Amount of tests conducted: 1

0.40 PASS 0.85

Analyte	LOQ	Units	Pass/Fail	Result	Action Level
HOM1 TOTAL THC PERCENT DIFFERENCE	0.01	%	PASS	0.83	25
HOM1 TOTAL CBD PERCENT DIFFERENCE	0.01	%	PASS	11.03	25
HOM2 TOTAL THC PERCENT DIFFERENCE	0.01	%	PASS	ND	25
HOM2 TOTAL CBD PERCENT DIFFERENCE	0.01	%	PASS	6.62	25
HOM3 TOTAL THC PERCENT DIFFERENCE	0.01	%	PASS	1.67	25
HOM3 TOTAL CBD PERCENT DIFFERENCE	0.01	%	PASS	9.56	25
HOM4 TOTAL THC PERCENT DIFFERENCE	0.01	%	PASS	ND	25
HOM4 TOTAL CBD PERCENT DIFFERENCE	0.01	%	PASS	9.56	25
HOM5 TOTAL THC PERCENT DIFFERENCE	0.01	%	PASS	ND	25
HOM5 TOTAL CBD PERCENT DIFFERENCE	0.01	%	PASS	2.94	25

Analysis Method: SOP.T.30.031.NY, SOP.T.40.031.NY

Analyzed Date : 08/05/25 16:56:26

 $Homogeneity\ testing\ is\ performed\ utilizing\ High\ Performance\ Liquid\ Chromatography\ with\ UV\ detection\ in\ accordance\ with\ F.S.\ Rule\ 64ER20-39.$

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164

